

**Research articles 2000-2004 (40)****2004 (6)**

**Abadía J, Álvarez-Fernández A, Rombolà AD, Sanz M, Tagliavini M, Abadía A** (2004) Technologies for the diagnosis and remediation of Fe deficiency. **Soil Sci Plant Nutr** 50, 965-971.

**Álvarez-Fernández A, García-Laviña P, Fidalgo C, Abadía J, Abadía A** (2004) Foliar fertilization to control iron chlorosis in pear (*Pyrus communis* L.) trees. **Plant Soil** 262, 5-15.

**Gogorcena Y, Abadía J, Abadía A** (2004) New technique for screening iron-efficient genotypes in peach rootstocks: Elicitation of root ferric chelate reductase by manipulation of external iron concentrations. **J Plant Nutr** 27, 1701-1715.

**Larbi A, Abadía A, Morales F, Abadía J** (2004) Fe resupply to Fe-deficient sugar beet plants leads to rapid changes in the violaxanthin cycle and other photosynthetic characteristics without significant de novo chlorophyll synthesis. **Photosynth Res** 79, 59-69.

Pestana M, de Varennes A, Goss MJ, **Abadía J, Faria EA** (2004) Floral analysis as a tool to diagnose iron chlorosis in orange trees. **Plant Soil** 259, 287-295.

**Zaharieva T, Gogorcena Y, Abadía J** (2004) Dynamics of metabolic responses in sugar beet roots to iron deficiency. **Plant Sci** 166, 1045-1050.

**2003 (6)**

**Álvarez-Fernández A, Paniagua P, Abadía J, Abadía A** (2003) Effects of Fe deficiency-chlorosis on yield and fruit quality in peach (*Prunus persica* L. Batsch). **J Agric Food Chem** 51, 5738-5744.

**Chang Y-Ch, Zouari M, Gogorcena Y, Lucena JJ, Abadía J** (2003) Effects of cadmium and lead on ferric chelate reductase activities in sugar beet roots. **Plant Physiol Biochem** 41, 999-1005.

El Omari B, Fleck I, Aranda X, **Abadía A, Cano A, Arnao MB** (2003) Total antioxidant activity in *Quercus ilex* sprouts after fire. **Plant Physiol Biochem** 41, 41-47.

**Larbi A, Morales F, Abadía J, Abadía A** (2003) Effect of branch solid Fe sulphate implants on xylem sap composition in field-grown peach and pear: changes in Fe, organic anions and pH. **J Plant Physiol** 160, 1473-1481.

Martinez HEP, Bartolomeu de Souza R, **Abadía J, Alvarez VH, Sanz M** (2003) Coffee-tree floral analysis as a means of nutritional diagnosis. **J Plant Nutr** 26, 1467-1482.

**Zaharieva T, Abadía J** (2003) Iron deficiency enhances the levels of ascorbate, glutathione and related enzymes in sugar beet roots. **Protoplasma** 221, 269-275.

**2002 (8)**

**Abadía J, López-Millán A-F, Rombolà AD, Abadía A** (2002) Organic acids and Fe deficiency: a review. **Plant Soil** 241, 75-86.

**Andaluz S, López-Millán A-F, Peleato ML, Abadía J, Abadía A** (2002) Increases in phosphoenolpyruvate carboxylase activity in iron-deficient sugar beet roots: Analysis of spatial localization and post-translational modification. **Plant Soil** 241, 43-48.



Gulías J, Flexas J, **Abadía A**, Medrano H (2002) Photosynthetic responses to water deficit in six Mediterranean sclerophyll species: possible factors explaining the declining distribution of *Rhamnus ludovici-salvatoris*, an endemic Balearic species. **Tree Physiol** 22, 687-697.

**Larbi A, Morales F, Abadía A, Gogorcena Y**, Lucena JJ, **Abadía J** (2002) Effects of Cd and Pb in sugar beet plants grown in nutrient solution: induced Fe deficiency and growth inhibition. **Funct Plant Biol** 29, 1453-1464.

Llorens L, Aranda X, **Abadía A**, Fleck I (2002) Variations in *Quercus ilex* chloroplast pigment content during summer stress: involvement in photoprotection according to Principal Component Analysis. **Funct Plant Biol** 29, 81-88.

Medrano H, Bota J, **Abadía A**, Sampol B, Escalona JM, Flexas J (2002) Effect of drought on light-energy dissipation mechanisms in high-light-acclimated, field-grown grapevines. **Funct Plant Biol** 29, 1197-1207.

**Morales F, Abadía A, Abadía J**, Montserrat G, Gil-Pelegrín E (2002) Trichomes and photosynthetic pigment composition changes: responses of *Quercus ilex* subsp. *ballota* (Desf.) Samp. and *Quercus coccifera* L. to Mediterranean stress conditions. **Trees-Struct Funct** 16, 504-510.

Rombolà AD, Brüggemann W, **López-Millán A-F**, Tagliavini M, **Abadía J**, Marangoni B, Moog PR (2002) Biochemical responses of tolerance to Fe deficiency in kiwifruit (*Actinidia deliciosa*). **Tree Physiol** 22, 869-876.

## 2001 (10)

**Gogorcena Y, Molías N, Larbi A, Abadía J, Abadía A** (2001) Characterisation of the responses of cork oak (*Quercus suber* L.) to iron deficiency. **Tree Physiol** 21, 1335-1340.

**Larbi A, Morales F, López-Millán A-F, Gogorcena Y, Abadía A**, Moog PR, **Abadía J** (2001) Technical advance: Reduction of Fe(III)-chelates by mesophyll leaf disks of sugar beet. Multi-component origin and effects of Fe deficiency. **Plant Cell Physiol** 42, 94-105.

**López-Millán A-F, Morales F, Abadía A, Abadía J** (2001) Changes induced by Fe deficiency and Fe resupply in the organic acid metabolism of sugar beet (*Beta vulgaris*) leaves. **Physiol Plant** 112, 31-38.

**López-Millán A-F, Morales F, Abadía A, Abadía J** (2001) Iron deficiency-associated changes in the composition of the leaf apoplastic fluid from field-grown pear (*Pyrus communis* L.) trees. **J Exp Bot** 52, 1489-1498.

**López-Millán A-F, Morales F, Gogorcena Y, Abadía A, Abadía J** (2001) Iron resupply-mediated deactivation of Fe-deficiency stress responses in roots of sugar beet. **Aust J Plant Physiol** 28, 171-180.

**Morales F**, Moise N, **Quílez R, Abadía A, Abadía J**, Moya I (2001) Iron deficiency interrupts energy transfer from a disconnected part of the antenna to the rest of Photosystem II. **Photosynth Res** 70, 207-220.

Pestana M, Correia PJ, de Varennes A, **Abadía J**, Faria EA (2001) Effectiveness of different foliar applications to control iron chlorosis in orange trees grown on a calcareous soil. **J Plant Nutr** 24, 613-622.

Pestana M, Correia PJ, de Varennes A, Abadía J, Faria EA (2001) The use of floral analysis to diagnose the nutritional status of orange trees. **J Plant Nutr** 24, 1913-1923.

Pestana M, David M, de Varennes A, **Abadía J**, Faria EA (2001) Responses of "Newhall" orange trees to iron deficiency in hydroponics: effects on leaf chlorophyll, photosynthetic efficiency and root ferric chelate reductase activity. **J Plant Nutr** 24, 1609-1620.



**Zouari M, Abadía A, Abadía J** (2001) Iron is required for the induction of root ferric chelate reductase activity in iron-deficient tomato. **J Plant Nutr** 24, 383-396.

## 2000 (10)

**Abadía J, Tagliavini M, Grasa R, Belkhodja R, Abadía A, Sanz M, Faria EA, Tsipouridis C, Marangoni B** (2000) Using the flower Fe concentration for estimating crop chlorosis status in fruit tree orchards. A summary report. **J Plant Nutr** 23, 2023-2033.

Fleck I, Aranda X, El Omari B, Permanyer J, **Abadía A, Hogan KP** (2000) Light energy dissipation in *Quercus ilex* resprouts after fire. **Aust J Plant Physiol** 27, 129-137.

**Gogorcena Y, Abadía J, Abadía A** (2000) Induction of in vivo root ferric chelate-reductase activity in the fruit tree rootstock *Prunus amygdalo-persica*. **J Plant Nutr** 23, 9-21.

**González-Vallejo EB, Morales F, Cistué L, Abadía A, Abadía J** (2000) Iron deficiency decreases the Fe(III)-chelate reducing activity of leaf protoplasts. **Plant Physiol** 122, 337-344.

Igartua E, **Grasa R, Sanz M, Abadía A, Abadía J** (2000) Prognosis of iron chlorosis from the mineral composition of flowers in peach. **J Horticult Sci Biotechnol** 75, 111-118.

**López-Millán A-F, Morales F, Abadía A, Abadía J** (2000) Effects of iron deficiency on the composition of the leaf apoplastic fluid and xylem sap in sugar beet. Implications for iron and carbon transport. **Plant Physiol** 124, 873-884.

**López-Millán A-F, Morales F, Andaluz S, Gogorcena Y, Abadía A, de las Rivas J, Abadía J** (2000) Responses of sugar beet roots to iron deficiency: changes in carbon assimilation and oxygen use. **Plant Physiol** 124, 885-897.

**Morales F, Belkhodja R, Abadía A, Abadía J** (2000) Energy dissipation in the leaves of Fe-deficient pear tree leaves grown in the field. **J Plant Nutr** 23, 1709-1716.

**Morales F, Belkhodja R, Abadía A, Abadía J** (2000) Photosystem II efficiency and mechanisms of energy dissipation in iron-deficient, field-grown pear trees (*Pyrus communis* L.). **Photosynth Res** 63, 9-21.

Tagliavini M, **Abadía J, Rombolà AD, Abadía A, Tsipouridis C, Marangoni B** (2000) Agronomic means for the control of iron chlorosis in deciduous fruit plants. **J Plant Nutr** 23, 2007-2022.

## Book chapters (7)

**Abadía J, Alvarez-Fernandez A, Morales F, Sanz M, Abadía A** (2002) Correction of iron chlorosis by foliar sprays. Proceedings of the Merano Foliar Nutrition Symposium. **Acta Horticulturae** 594, 115-122.

**Andaluz S, Abadía J, Abadía A** (2002) Separación mediante electroforesis en 2-D de membranas tilacoidales. *In: Comunicaciones. IX Simposio Ibérico sobre Nutrición Mineral de las Plantas*, 37-40. J Abadía, A Abadía, A Álvarez-Fernández, F Morales eds. Institución Fernando el Católico. Consejo Superior de Investigaciones Científicas. ISBN 84-7820-657-4.

**García-Laviña P, Alvarez-Fernandez A, Abadía J, Abadía A** (2002) Foliar applications of acids with and without FeSO<sub>4</sub> to control iron chlorosis in pear. Proceedings of the Merano Foliar Nutrition Symposium. **Acta Horticulturae** 594, 217-222.

**Larbi A, Andaluz S, Morales F, Abadía J, Abadía A** (2002) Cambios producidos por el tratamiento de Fe sobre las concentraciones de ácidos orgánicos en xilema de melocotoneros afectados por clorosis férrica. *In: Comunicaciones. IX Simposio Ibérico sobre Nutrición Mineral de las Plantas*, 143-146. J Abadía, A Abadía, A



Álvarez-Fernández, F Morales eds. Institución Fernando el Católico. Consejo Superior de Investigaciones Científicas. ISBN 84-7820-657-4.

**Larbi A, Andaluz S, Morales F, Abadía J, Abadía A** (2002) Efecto del aporte de Fe sobre las concentraciones de ácidos orgánicos en xilema y apoplasto en plantas de remolacha deficientes en Fe. *In: Comunicaciones. IX Simposio Ibérico sobre Nutrición Mineral de las Plantas*, 147-150. J Abadía, A Abadía, A Álvarez-Fernández, F Morales eds. Institución Fernando el Católico. Consejo Superior de Investigaciones Científicas. ISBN 84-7820-657-4.

**Larbi A, Morales F, Álvarez-Fernández A, López-Millán AF, Molías N, Gogorcena Y, Lucena JJ, Abadía A, Abadía J** (2003) Cadmium and Pb toxicity in sugar beet (*Beta vulgaris* L.). *In: Cost Action 837 4th WG2 Workshop, Bordeaux 2002 – Risk assessment and sustainable land management using plants in trace element-contaminated soils*. Bench M, Mocquot B eds. Institut National de la Recherche Agronomique, Villenave d'Ornon, France. ISBN 2-9520207-0-1.

Pestana M, de Varennes A, **Abadía J**, Faría EA (2002) Avaliação da tolerância a clorose férrica de porta-enxertos de citrinos em solução nutritiva. *In: Comunicaciones. IX Simposio Ibérico sobre Nutrición Mineral de las Plantas*, 95-98. J Abadía, A Abadía, A Álvarez-Fernández, F Morales eds. Institución Fernando el Católico. Consejo Superior de Investigaciones Científicas. ISBN 84-7820-657-4.

## Dissemination articles (7)

**Abadía J** (2004) Iron Nutrition: A report from the Tokyo XII World Symposium. **New Ag International**, June 2004, 71-74.

**Abadía J** (2004) Nutrición con hierro: Informe desde el XII Simposio mundial realizado en Tokio. **ChileRiego** 19, 42-43.

**Abadía J, Sanz M, Abadía A** (2004) Causas y efectos de la clorosis férrica en frutales. **Vida Rural** 186, 54-57.

**Álvarez-Fernández A** (2003) Calidad y eficacia de quelatos férricos sintéticos como fertilizantes. **Nutri-Fitos** 2, 180-181.

**Álvarez-Fernández A, Abadía A, Abadía J**, Lucena JJ (2003) Diagnóstico y corrección de la clorosis férrica. **Nutri-Fitos** 2, 158-166.

**Álvarez-FerÁlvarez-Fernández A, Abadía A, Abadía J**, Lucena JJ (2003) Diagnóstico y corrección de la clorosis férrica. **Nutri-Fitos** 2, 158-166.

Pestana M, de Varennes A, **Abadía J**, Faria EA (2003) Tolerancia a la clorosis férrica de portainjertos de cítricos en solución nutritiva. **Citrus** 22, julio-septiembre, 5-9.

